

Issue Date: 2011-07-19

Revision Date: 2016-01-14

Revision Number: 5

1. IDENTIFICATION

1.1. Product identifier

Product name AGITAN® 786

Other means of identification

Material No. 5323
Historic Material No. U1786

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Anti-foaming agent (defoamer)
Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Manufacturer Munzing - Ultra Additives LLC.
1455 Broad Street
Bloomfield NJ 07003
United States

Email: info@munzing.us
Phone: 1-973-279-1306

1.4. Emergency telephone number

Emergency telephone number CHEMTREC (24 hrs - for spill, leak or transportation incidents):
US: 1-800-424-9300
non-US: 1-703-527-3887

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Specific target organ toxicity (single exposure)	Category 3

2.2. Label Elements



Signal Word
Danger

Hazard Statements

Fatal if inhaled
May cause respiratory irritation

Precautionary Statements - Response Specific treatment is urgent (see supplemental first aid instructions on this label)

FIRST AID**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards**Hazards not otherwise classified (HNOC)**

Not applicable

Unknown acute toxicity

25.524% of the mixture consists of ingredient(s) of unknown toxicity

Other Information

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Chemical nature of the product Polymer dispersion

Component	CAS No	% [weight]
Propylene oxide ethylene oxide polymer monobutyl ether	9038-95-3	60 - 100

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**4.1. Description of first aid measures****Eye Contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact

Wash off immediately with soap and plenty of water.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed**Most important symptoms and**

No information available.

effects

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray. Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapors.

Explosion Data

Sensitivity to mechanical impact

Not applicable.

Sensitivity to static discharge

No.

5.3. Advice for firefighters

Advice for fire-fighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing.

Protective precautions Ensure adequate ventilation. Avoid exceeding of the given occupational exposure limits (see section 8).

Emergency procedures Evacuate personnel to safe areas. Remove all sources of ignition. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Environmental Precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for Containment Local authorities should be advised if significant spillages cannot be contained. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Methods for Clean-Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

Reference to other sections See Sections 5 & 7 for additional information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Use personal protection equipment. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear: Tight sealing safety goggles.

Skin protection Wear suitable protective clothing and gloves.

Respiratory protection In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Opaque White
Odor Slight
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	7.1	No information available
Melting point	No information available	No information available
Boiling point	No information available	No information available
Flash Point	> 93.3 °C / 200 °F	No information available
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	No information available	No information available
Vapor density	No information available	No information available
Specific Gravity	1.05	No information available
Water Solubility	Dispersible in water	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available.	No information available

Viscosity	~1400 cps@25C	No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

VOC content (%)	1.38 (EPA Method 24)
Density	1.05 kg/L; 8.7 #/gal

10. STABILITY AND REACTIVITY**10.1. Reactivity**

Reactivity	Stable under normal conditions.
------------	---------------------------------

10.2. Chemical stability

Chemical Stability	Stable under normal conditions.
--------------------	---------------------------------

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions	None under normal processing.
------------------------------------	-------------------------------

Hazardous Polymerization	Hazardous polymerization does not occur.
--------------------------	--

10.4. Conditions to avoid

Conditions to Avoid	Heat, flames and sparks.
---------------------	--------------------------

10.5. Incompatible materials

Incompatible Materials	Strong oxidizing agents.
------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon oxides. Formaldehyde. Silicon dioxide.
----------------------------------	---

11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Information on likely routes of exposure**

Product Information	Information given is based on data on the components and the toxicology of similar products.
Eyes	Contact with eyes may cause irritation. Avoid contact with eyes.
Skin	Substance may cause slight skin irritation. Avoid contact with skin.
Inhalation	Fatal if inhaled. May cause irritation of respiratory tract. Avoid breathing vapors or mists.
Ingestion	Health injuries are not known or expected under normal use.

Numerical measures of toxicity - Product Information

ATEmix (oral)	196,103.00 mg/kg
ATEmix (dermal)	172,398.00 mg/kg
ATEmix (inhalation-dust/mist)	0.35 mg/L

Component Information

Component	Oral LD50	Dermal LD50	Inhalation LC50
Polypropylene glycol, monobutyl ether	= 9100 mg/kg (Rat)	= 13340 mg/kg (Rabbit) = 21200 µL/kg (Rabbit)	-
Propylene oxide ethylene oxide polymer monobutyl ether	> 21,753 mg/kg (Rat)	> 21,120 mg/kg (Rabbit)	0.33 mg/l Aerosol (Rat, 4H)
Acetaldehyde	= 660 mg/kg (Rat)	-	= 13000 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic effects	No information available.
Reproductive Effects	No information available.
STOT - single exposure	Respiratory system.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Component	ACGIH	IARC	NTP	OSHA
Acetaldehyde 75-07-0	A2	Group 1 Group 2B	Reasonably Anticipated	X

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity . Information given is based on data on the components and the ecotoxicology of similar products.

Component	Algae	Fish	Daphnia magna
Polypropylene glycol, monobutyl ether	-	LC50: 20.6 mg/l (Pimephales promelas) LC50 (96h): > 500 mg/L (golden orfe) LC50 (96h): 104 mg/L (Brachydanio rerio)	EC50: 450 mg/l (Daphnia magna) EC50 (48 h): >100 mg/l (Daphnia magna) LC50: 9.8 mg/l (Daphnia magna)
Acetaldehyde	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static 53: 96 h Lepomis macrochirus mg/L LC50 static	3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50

Unknown Aquatic Toxicity 25.524% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability . No information available.

12.3. Bioaccumulative potential

Bioaccumulation/Accumulation . No information available.

Component	Partition coefficient
Acetaldehyde 75-07-0	0.5

12.4. Mobility in soil

Mobility in Environmental Media . No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . Not applicable.

12.6. Other adverse effects

Other adverse effects . No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal Methods Contain and dispose of waste according to local regulations.

Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal. Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number Product, as sold, is not a US EPA RCRA Waste. Waste must be classified and labelled prior to recycling or disposal.

Component	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetaldehyde 75-07-0	-	-	-	U001

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

US TSCA	Complies
Australia (AICS)	Complies
Canada (DSL)	Complies
China (IECSC)	Complies
Europe (EINECS/ELINCS/NLP)	Complies
Japan (METI)	Contact manufacturer
South Korea (KECL)	Complies
Philippines (PICCS)	Contact manufacturer
New Zealand	Complies

Taiwan (TCSI)

Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (40 CFR 61)

This product contains the following HAPs:

Component	% [weight]	HAPs	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetaldehyde	<0.1	Present	Group II		

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

WARNING! This product contains a chemical known in the State of California to cause cancer. Impurities (<0.1%).

Component	California Proposition 65
Acetaldehyde	Carcinogen

U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Propylene Glycol		X	X		X
Acetaldehyde	X	X	X	X	X

International Regulations

Mexico

Mexico - Grade

Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2A - Very toxic materials

**Canada Disclosure Lists**

Component	% [weight]	Ingredient Disclosure List (IDL)	National Pollutant Release Inventory (NPRI)	Hazardous Materials Information Review Commission (Registration number)
Acetaldehyde	<0.1	1 %	X	-

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA			HMIS III		
Health		3	Health		3
Flammability		1	Flammability		1
Instability		0	Physical Hazard		0

Issue Date: 2011-07-19
Revision Date: 2016-01-14
Reason for revision: SDS sections updated, 2, 11.

For industrial use only.**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet